



المصنع العربي للسحب ذ.م.م
ARABIAN EXTRUSIONS FACTORY L.L.C



أريكسكو
AREXCO

AREXAL SLIM SYSTEM 35 SERIES CURTAIN WALL





Al Futtaim Element Materials Technology
Dubai L.L.C

Plot 597-451, Dubai Investments Park 2,
PO Box 34924, Dubai, United Arab Emirates

P: +971 (0)4 886 8715
F: +971 (0)4 885 6795

info.dubai@element.com
element.com

القطيم اليمنت ماتيريلز تكنولوجي دي.م.م

قطعة أرض رقم: ٥٩٧-٤٥١، مجمع دبي للإستثمار ٢،
صندوق بريد ٣٤٩٢٤، دبي، الإمارات العربية المتحدة

هاتف: +٩٧١ (٠) ٤ ٨٨٦ ٨٧١٥
فاكس: +٩٧١ (٠) ٤ ٨٨٥ ٦٧٩٥

info.dubai@element.com
element.com

Confirmation of Testing Compliance

AFE Report No: DLR4195 Rev.0

Date: August 2026

AFE COT No: COTC 4195

Test Sponsor:

Arabian Extrusions Factory LLC
P. O. Box 1999
Umm Al Quwain
United Arab Emirates
Tel: +971 67646152

System Supplier:

Arabian Extrusions Factory LLC
P. O. Box 1999
Umm Al Quwain
United Arab Emirates
Tel: +971 67646152

System: Curtain wall 35 slim system with top hung windows

Al Futtaim Element Materials Technology Dubai L.L.C (AFE) tested a sample of the above-mentioned system installed at their Dubai laboratory for the following parameters:

- | | |
|---|--------------------------------------|
| • Air infiltration & exfiltration | ASTM E283/E283M-19 |
| • Static air pressure water penetration | ASTM E331-00 (Reapproved 2023) |
| • Wind resistance | ASTM E330/E330M-14 (Reapproved 2021) |

At the time of test, the system was found to comply with requirements for the above standards.

This is a confirmation of testing compliance and relates only to the sample mentioned above, installed, tested at AFE Dubai laboratory, as fully detailed in test report referenced above.

This 'Confirmation of Testing Compliance' shall only be read in conjunction with the laboratory test report bearing the report number DLR4195 Rev.0, which fully details all aspects of the sample /testing carried out.




Relston Pereira

Associate Test Engineer
Façade Testing & Advisory Services Division





Ranjith Puthan Purayil

Operations Manager
Façade Testing & Advisory Services Division


AREXAL SLIM SYSTEM 35 SERIES CW

AREXAL SLIM SYSTEM 35 SERIES CW




AREXAL SLIM SYSTEM 35 SERIES CW





AREXAL SLIM SYSTEM 35 SERIES CW




AREXAL SLIM SYSTEM 35 SERIES CW







AREXAL SLIM SYSTEM 35 SERIES CW



AREXAL SLIM SYSTEM 35 SERIES CW



PART NO.	PROFILE SHAPE	DISCRIPTION
ARX-P064		POLYAMIDE ISOLATOR
ARX-P065		POLYAMIDE ISOLATOR
ARX-7176		GASKET FOR MULLION
ARX-7135		GASKET FOR PRESSURE PLATE
ARX-0029		GASKET FOR CONCEALED VENT FRAME
ARX-P063		POLYAMIDE ISOLATOR






**Manufacture of Aluminium Extruded Profiles in Mill,
Powder Coated, Anodized and Wood Effect Finish. Thermal Break System**

PRODUCT RANGE

ALUMINIUM EXTRUSIONS


- ✓ Automotive Body Building & parts
- ✓ Facade Systems – (Curtain Wall)
- ✓ Slim System – (Curtain Wall)
- ✓ Handrails and Glass Holders
- ✓ Sliding & Hinged Doors And Windows

- ✓ Industrial Fabrication & Structural Uses
- ✓ Automobile Body Building
- ✓ Cold Storage & Insulated Systems
- ✓ Modular Kitchen Cabinets
- ✓ Signage & Display Profiles
- ✓ Miscellaneous Custom Profiles




POWDER COATING

Like Super Durable (SDF), Durasol, Facade Metallic, PE and PE-F finish with variety of RAL colour



ANODIZING FINISH

(ELECTRO-CHEMICAL PROCESS)
Various finishes like Silver, Champagne, Light Bronze and Black Colours - Matt & Polish Finish



WOOD EFFECT FINISH

(SUBLIMATION) with variety of design and colours



THERMAL BREAK SYSTEM

For Curtainwall, Sliding window & doors tested by Thomas Belwright and bodycoat.



Corporate Office & Factory

Tel. : +971 6 764 6152, P.O Box – 1999
Emirates Modern Industrial Area, Block-5
Umm Al Thaoob - Umm Al Quwain - U.A.E.
E-mail: info@arexco.ae | sales@arexco.ae
Web.: www.arexco.ae